



SUPERIOR WATERPROOF FLOORING



Superior Waterproof Flooring

Design-led innovation, with a range of collections and colour options to meet every design need.

Pro-Tek™ is at the cutting-edge of modern engineered vinyl flooring, combining advanced engineering technology and a wide choice of natural and stylish finishes with a complete range of matching accessories. Pro-Tek™'s hard-wearing composition, with its impact resistant surface, 100% waterproof core and a built-in underlay, makes it the ideal flooring solution for any location, whether commercial or residential.

Launched in 2017 after more than two years in development, Pro-Tek™ out-performs other vinyl flooring against multiple criteria and is backed up by rigorous, ongoing testing. The core of the structure is made of a plastic composite layer - a highly stable, 100% waterproof material which enables the flooring to be used in any area, unlike other flooring such as laminate.

With seven stunning collections and 68 colour options across three ranges, there's a stylish solution for every flooring project. The Pro-Tek™ Excel range is the premier range, with a wood plastic composite core and seven layers of premium materials, making it the thickest vinyl board on the market. Available in Classic and Longplank

and with a 30 year commercial warranty, Excel is as perfect for busy areas such as bars and offices as it is for family homes.

With an ongoing commitment to harnessing the latest flooring technology, the Pro-Tek™ Editions and Value ranges were created, with less layers by utilising a stone plastic core (SPC). Editions and Value offer many of the same benefits as Excel but at a lower cost, with the Value range providing the best value alternative due to its thinner wear layer. The Editions range is particularly well-suited to larger housing and commercial projects.

All Pro-Tek™ flooring is incredibly easy and quick to install, with a built-in underlay and the ability to be laid direct onto existing sub-floors. Its Unilin click lock system allows the boards to fit together to create a flush, gap-free surface which is highly durable, dimensionally stable and also easy to maintain. Plus, with its superior acoustic performance, phthalate-free construction, breadth of quality checks, testing and recyclability, it's no surprise Pro-Tek™ was the winner of the Flooring Innovation Award for two years running.





*Commercial 30-year warranty is available on Excel range only

The Benefits of Pro-Tek™ Flooring



100% Waterproof – utilising revolutionary waterproof core technology Pro-Tek™ can be used in almost all wet areas.



Locking System – the glueless locking system ensures boards click together easily, forming flush, gap-free joins.



Quick & Easy to Install – simple to install straight from the pack, leaving no DIY skills and saving time and money.



Minimal Floor Prep – as long as the sub-floor is flat, there is minimal preparation needed, saving time vs other flooring types.




Built-in Underlay – premium built-in IXPE underlay makes installation simple, saves money and creates a soft and warm feeling underfoot.



Install over Existing Floors – Pro-Tek™ can be laid over most existing hard flooring as long as there are no obvious defects and it is flat.



Hard-wearing – with its multi-layer, robust construction and high quality materials Pro-Tek™ is extremely durable and won't splinter, warp or crack.



Compatible with Underfloor Heating – all Pro-Tek™ flooring ranges all are compatible with wet underfloor heating systems and the Editions and value ranges are also compatible with dry heating systems.



Reduces Noise – the waterproof core technology and built-in underlay absorb noise transfer, ensuring excellent acoustic performance.



Low Maintenance – due to the stability and quality of the materials in the construction, no further surface treatment is needed after installation and floors can be maintained and cleaned through normal care practises.

flooring



Phthalate Free – Pro-Tek™ ensures we minimise the environmental impact through manufacture and supply of our products, which is why we do not include the use of Phthalates in our flooring.



Recyclable – all Pro-Tek™ collections are 100% recyclable when they are disposed of correctly and can also be re-used if removed carefully.



Matching Accessories – we have a complete range of matching accessories to complete your project to perfection.



Extended Commercial Warranty* – Pro-Tek™ Excel provides a 30-year warranty for all commercial applications, more than any other click vinyl product, with Editions offering a 20-year warranty and Value offering a 15-year warranty.



Lifetime Residential Warranty – other than the Value range, all Pro-Tek™ flooring offers a full lifetime warranty for residential applications.

Full details can be found on www.pro-tek-flooring.com



*Commercial 30-year warranty is available on Excel range only



Luxury Engineered Click Vinyl Flooring

Pro-Tek™ Excel is an innovation in engineered vinyl flooring, with a natural appearance and texture, alongside a host of technical benefits, built into its robust construction.

- Pro-Tek™ Excel flooring is available across two beautiful collections, with a large range of matching accessories.
- The core of the structure is made up of a wood plastic composite layer, known as WPC – a highly stable, 100% watetrproof material which can be used in any area.
- There are 28 contemporary and classic colours to choose from.
- Pro-Tek™ Excel flooring has UNIFIT® patented locking technology built in. This locking system is extremely simple and efficient, speeding up installation, saving time and costs on projects.


Drop Down

For quickly installing a large area



Angling

For installing the first row of planks




Insert Horizontally

For places where it is difficult to tilt the planks



Excel Construction




Length	1220mm
Overall Thickness	8mm
Width	180mm
Wear Layer	0.7mm
Pack Size	1.757m ²

Classic Wood Design Planks

18 wood design planks with a natural texture for additional authenticity.

100% waterproof and extremely durable with WPC core, making it a high-quality flooring for any setting, both commercial and residential.





Length	1524mm
Overall Thickness	8.5mm
Width	228mm
Wear Layer	0.7mm
Pack Size	2.780m ²

Longer & Wider Wood Design Planks

10 wood plank designs in a wider and longer board size that have the natural texture of real wood with the benefits of a WPC core. Ideal for larger spaces with heavy footfall, such as reception areas and hallways.



Alfie Grey




Cameron Oak



Charlie Oak




Delilah Grey




Dahlia Latte




Ezra Mink



Jasmine Grey



Jeydon Stone



Layla Walnut



Mia Grey





Quality Engineered Vinyl Flooring at Low Prices

Our SPC range, Pro-Tek™ Editions, has less layers overall than Excel. The core is constructed from stone plastic composite (SPC), a 100% waterproof material that offers the same benefits as Excel but at a lower cost.

- Pro-Tek™ Editions is heavier than Excel and the planks are not as thick, however they offer a great value alternative to any larger housing project.
- There are three collections of Pro-Tek™ Editions flooring with matching accessories and a choice of 32 attractive colours, including the stylish Editions Herringbone range.
- Pro-Tek™ Editions flooring has UNICLIC® patented locking technology built in. This locking system is extremely simple and efficient making the installation of your flooring faster and easier than before, saving time and costs on projects.

Angling

For installing the first row of planks




Insert Horizontally

For places where it is difficult to tilt the planks




Editions Construction



Length	1220mm
Overall Thickness	5mm
Width	180mm
Wear Layer	0.55mm
Pack Size	2.635m ²

Classic Wood Design Planks

A collection of 12 contemporary styles and colours including shades of grey, white and oak.






Length	600mm
Overall Thickness	5mm
Width	100mm
Wear Layer	0.55mm
Pack Size	1.800m ²

Herringbone Planks

Create stunning herringbone patterns from these smaller Pro-Tek™ Editions boards, with a choice of 12 contemporary and classic colours.








Length	600mm
Overall Thickness	5mm
Width	304.8mm
Wear Layer	0.55mm
Pack Size	2.190m ²

Stone Effect Tiles

Eight Pro-Tek™ Editions tile designs that come in marble, slate and travertine with a natural texture. Warmer underfoot than real tiles, they are ideal for busy areas where spillage is likely.





New Luxury SPC for the Budget Conscious

At Pro-Tek™, the ultimate aim is to have everyone enjoy the beauty and unbeatable performance of our floors. Our newly released Value range in plank and herringbone, boast the same specification as the Editions range but with a slightly thinner wear layer.

- The Value range has two collections, Planks and Herringbone, which both come in our four most popular colours, with two classic grey and wood finishes.
- These SPC click vinyl floors offer a thinner wear layer, which makes them better suited to spaces with less foot traffic, like bedrooms and home offices.
- Pro-Tek™ Value flooring also uses the UNICLIC® patented locking technology system, as with Editions. The click lock is extremely simple to use, making installation fast and easy.
- With the all new Value range, you will find the same combination of high-quality materials, stringent stress testing and international certifications that are the gold standard of every Pro-Tek™ floor.

Angling

For installing the first row of planks




Insert Horizontally

For places where it is difficult to tilt the planks



Value Construction






Value Planks

100% waterproof, wood design planks in four of our most popular browns and greys, with matching accessories in five profiles. These planks have all the high-quality features of SPC flooring at an even lower price.

Length	1220mm
Overall Thickness	5mm
Width	180mm
Wear Layer	0.30mm
Pack Size	2.635m ²



Dittam Grey



Coffee



English Oak



Latte




Value Herringbone

The Value Herringbone comes in two popular greys and two timeless wood finishes. It offers an elegant high-quality, low-cost flooring solution for low footfall areas.


Length	600mm
Overall Thickness	5mm
Width	100mm
Wear Layer	0.30mm
Pack Size	1.800m ²




Dittam Grey



Coffee



English Oak



Latte











Pro-Tek™ Range Comparison

PRO-TEK™ LUXURY CLICK VINYL FLOORING	EXCEL —CLASSIC—	EXCEL —LONGPLANK—	EDITIONS —CLASSIC—
Colours	18	10	12
Wear Layer	0.7mm	0.7mm	0.55mm
Overall Thickness	8mm	8.50mm	5mm
Width	180mm	228mm	180mm
Length	1220mm	1524mm	1220mm
Residential Warranty			
Commercial Warranty			






 EDITIONS HERRINGBONE	 EDITIONS TILES	 VALUE PLANK	 VALUE HERRINGBONE
12	8	4	4
0.55mm	0.55mm	0.30mm	0.30mm
5mm	5mm	5mm	5mm
100mm	304.8mm	180mm	100mm
600mm	603mm	1220mm	600mm
			
			




Matching Door Bars

Pro-Tek™ offers an exclusive range of matching profiles to ensure the final finishing touches for every flooring project. Each accessory has a 100% waterproof core, over which the vinyl colour finish is wrapped. All the profiles are available in 52 colours across all collections.


Ramp Profile



End Profile




T Profile



L-Shape Nosing



Stair Nosing





Quality Assured

Pro-Tek™ is manufactured to a higher specification standard than other engineered vinyl flooring. To guarantee our high quality production, all our products undergo rigorous testing as part of the development process using independent third-party ISO accredited laboratories.

Our range of tests include:

- Slip resistance
- Pendulum test
- Impact sound reduction
- Static
- Compatibility with underfloor heating
- Dimensional stability
- Expansion
- Shrinkage
- Click tension
- Reaction to fire
- Thermal resistance
- Chemical resistance
- Colour fastness
- Staining
- Light fastness
- Peel resistance
- Abrasion resistance
- Castor chair continuous use
- Furniture chair leg
- Indentation residual
- Impact resistance
- VOC emissions

In addition, we have our own Quality Control Inspector working full-time in our factory to oversee the production process from start to finish. Once manufactured, the flooring and packaging is again checked by a senior inspector and every container is also checked by an ISO accredited laboratory to ensure it meets our high standards before it is shipped.

For full details of product specifications, test results and BIM files visit

www.pro-tek-flooring.com



Commitment to Continuous Development

We are always reviewing new technologies to ensure that not only are all the Pro-Tek™ products offering the best innovation in flooring, but also that the information and testing covers all angles.

For example, all Pro-Tek™ Excel flooring packaging includes a QR code linking the product to the TRUSST Blockchain scheme, to guarantee the authenticity and provenance of every pack.



Commitment to Support & Training

We are also committed to providing ongoing support and training. We have developed a RIBA/NBS accredited CPD training session which we deliver to architects and designers across the UK, both in person and through remote access.



CONTACT US ON INFO@PROTEKFLOORING.CO.UK TO BOOK A CPD SESSION

Pro-Tek™ Out Performs Other Leading Brands ✓

Brand	Product	Core Structure	Thickness	Built-In Underlay	Wear Layer	Impact Sound	Exact Match Accessories	Number of ISO & EN Tests	Residential Warranty	Commercial Warranty
Pro-Tek™	Excel Classic	WPC	8mm ✓	Yes	0.7mm ✓	20dB	Yes ✓	27 ✓	Lifetime	30 Years ✓
Pro-Tek™	Excel Longplank	WPC	8.5mm ✓	Yes	0.7mm ✓	20dB	Yes ✓	27 ✓	Lifetime	30 Years ✓
Pro-Tek™	Editions Classic	SPC	5mm	Yes	0.55mm	18dB	Yes ✓	20+	Lifetime	20 Years
Pro-Tek™	Editions Herringbone	SPC	5mm	Yes	0.55mm	18dB	Yes ✓	20+	Lifetime	20 Years
Pro-Tek™	Editions Tile	SPC	5mm	Yes	0.55mm	18dB	Yes ✓	20+	Lifetime	20 Years
Pro-Tek™	Editions Essential	SPC	5mm	Yes	0.55mm	18dB	Yes ✓	20+	Lifetime	20 Years
Karndean	Korlock	WPC	6.5mm	Yes	0.55mm	21dB ✓	Yes ✓	24	Lifetime	15 Years
Karndean	Palio Click	Rigid Vinyl	4.5mm	No	0.4mm	4dB	No	21	Lifetime	12 Years
Amico	Smart Click	Rigid Vinyl	6mm	Yes	0.55mm	20dB	No	22	20 Years	No Info
Moduleo	Layred	Rigid Vinyl	6mm	Yes	0.55mm	Up to 21dB ✓	No	22	20 Years	10 Years
Quick Step	Ambient	Rigid Vinyl	5mm	No	No Info	No Info	Limited	Not Known	Up to 25 Years	No Info
Quick Step	Balance	Rigid Vinyl	5mm	No	No Info	No Info	Limited	Not Known	Up to 25 Years	No Info
Quick Step	Pulse	Rigid Vinyl	5mm	No	No Info	No Info	Limited	Not Known	Up to 25 Years	No Info

All results taken from the manufacturer's websites. Pro-Tek™ will take no responsibility for incorrect information.



Perfect For Commercial or Residential Projects

Residential

- New Builds
- Modular Housing
- Renovations

Retail

- Showrooms
- Hairdressers
- Barbers

Education:

- Schools
- Colleges
- Student Accommodation

Hospitality & Leisure

- Hotels
- Guest Houses
- Park Homes
- Restaurants
- Public Houses
- Cafés
- Bars
- Coffee Shops

Office

- Reception Areas

Healthcare

- Hospitals
- Nursing Homes
- Medical Centres
- Surgeries
- Dental Practices

Transport

- Ships
- Boats

Government & Public Spaces

Please visit

www.pro-tek-flooring.com
to order your FREE samples
from all
Pro-Tek™ collections or
call us on 020 3917 5550



Pattern Books & Swatches
Now Available!

UAE Branch

Dubai, United Arab Emirates

Contact us at

sales@protekflooring.ae
or call us on 04 385 2529
for any enquiries or to become
an authorised dealer.

Middle East Office





UK Head Office
pro-tek-flooring.com
info@protekflooring.co.uk
020 3917 5550

UAE Branch
ukflooringsupplies.ae
sales@protekflooring.ae
04 385 2529

SUPERIOR WATERPROOF FLOORING



Visit **pro-tek-flooring.com/commercial-zone** for more detailed information, test results and specifications.